


The simplest ideas are often the best

Flotronic Drum Unloading System



Flotronic Drum/Barrel Unloading System



Flotronic 'One - Nut' pumps - The simplest ideas are often the best

Flotronic Drum/Barrel Unloading System

The Flotronic Unloading System combines our unique 'ONE-NUT' pump with our barrel unloading skid.

The 'ONE-NUT' sanitary style pump based on our 3A and EHEDG design, has already proven itself in the hygienic/sanitary industries.



High Viscosities:

- Combining the High Flow Slimline Style 'ONE-NUT' pump with our barrel emptying system, enables you to now pump highly viscous materials out of your barrel at increased flow rates.

Cleaning:

- System can be cleaned in place using the pump itself or an external CIP rig. Alternatively, because of the 'ONE-NUT' design of the pump, it can be easily stripped down for cleaning.

Less Waste:

- Minimal wastage is achieved with our inflatable seal which ensures the minimum of product is retained in the barrel.
- Less product hold up than other systems.

Inflatable Seal:

- The seal inflates to give an excellent seal while moving down the barrel; then deflating to enable easy removal from the barrel.

Bespoke Systems: Made to Customer's Requirements

- Systems to cater for any fibre, metal or plastic 200 litre/55 gallon drum or similar.
- The barrel unloading skid can be fully mobile or fixed in place.
- Barrel unloading system to suit the end user's needs, including roller systems if required.



Flotronic Drum/Barrel Unloading System



Unibloc Hygienic Technologies, LLC
Ricebridge Works, Brighton Road, Bolney, West Sussex RH17 5NA. UK
Tel: +44 (0)1444 881871 Fax: +44 (0)1444 881860
E-mail: sales@unibloctech.com Web: unibloctech.com
For authentic Flotronic pump spares go to: unibloctech.com

'Flotronic' is a UK registered trade mark.

Specifications subject to change without notice.



ATEX APPROVED PUMPS



certificate: 21804



Flotronic 'One - Nut' pumps - The simplest ideas are often the best